ENERGY
енергия · ενεργεια

NIBE

NIBE S1155-6

	55 °C	35 °C
	A+++	A+++
	6	6
	6	**6**
	6	6
	kW	kW

A+++
A++
A+
A
B
C
D

42 dB

dB

2019

811/2013

ENERG Y IJA IE IA
енергия · ενεργεια

NIBE

NIBE S1155-6 + VPB S300

A+++ A++ A+ A B C D

A+++

XL

A+ A B C D E F

A

42 dB

dB

6 kW

6 kW

6 kW

2019

811/2013

ENERG

енергия · ενεργεια

Y IJA IE IA

NIBE

NIBE S1155-6 + VPB S300

A+++

A XL

A+++

A+++
A++
A+
A
B
C
D
E
F
G

+ ☐

+ ☐

+ ☑

+ ☐

XL

A+++
A++
A+
A
B
C
D
E
F
G

A

2015

811/2013

Product fiche

Supplier's name:	**NIBE**		
Model:	**NIBE S1155-6 (+ VPB S300)**		
Temperature application	**35**	**55**	°C
Declared load profile for water heating	**XL**		
Seasonal space heating energy efficiency class, average climate:	**A+++**	**A+++**	
Water heating energy efficiency class, average climate:	**A**		
Rated heat output, average climate:	5,5	5,5	kW
Annual energy consumption for space heating, average climate	2188	2875	kWh
Annual electricity consumption for water heating, average climate	1697		kWh
Seasonal space heating energy efficiency, average climate:	200	150	%
Water heating energy efficiency, average climate:	99		%
Sound power level LWA indoors	42	42	dB
Rated heat output, cold climate:	5,5	5,5	kW
Rated heat output, warm climate:	5,5	5,5	kW
Annual energy consumption for space heating, cold climate	2481	3287	kWh
Annual electricity consumption for water heating, cold climate	1697		kWh
Annual energy consumption for space heating, warm climate	1408	1852	kWh
Annual electricity consumption for water heating, warm climate	1697		kWh
Seasonal space heating energy efficiency, cold climate:	211	157	%
Water heating energy efficiency, cold climate:	99		%
Seasonal space heating energy efficiency, warm climate:	201	151	%
Water heating energy efficiency, warm climate:	99		%
Sound power level LWA outdoors	-	-	dB

Data for package fiche

Controller class	VI		
Controler contribution to efficiency	4		%
Seasonal space heating energy efficiency of package, average climate:	204	154	%
Seasonal space heating energy efficiency class for package, average climate:	**A+++**	**A+++**	%
Seasonal space heating energy efficiency of package, cold climate:	215	161	%
Seasonal space heating energy efficiency of package, warm climate:	205	155	%

Model(s):		**NIBE S1155-6 (+ VPB S300)**						
Type of heat source/sink:		Brine-to-water						
Low-temperature heat pump:		No						
Equipped with supplementary heater:		Yes						
Heat pump combination heater:		Yes						
Climate condition:		Average						
Temperature application:		Medium temperature (55 °C)						
Applied standards: EN14825 and EN16147								
Rated heat output	Prated	5,5	kW		**Seasonal space heating energy efficiency**	η_s	150	%
Declared capacity for part load at outdoor temperature Tj					*Declared coefficient of performance for part load at outdoor temperature Tj*			
Tj = -7 °C	Pdh	5,0	kW		Tj = -7 °C	COPd	3,06	-
Tj = +2 °C	Pdh	3,0	kW		Tj = +2 °C	COPd	3,97	-
Tj = +7 °C	Pdh	2,0	kW		Tj = +7 °C	COPd	4,63	-
Tj = +12 °C	Pdh	1,2	kW		Tj = +12 °C	COPd	4,86	-
Tj = biv	Pdh	5,4	kW		Tj = biv	COPd	2,84	-
Tj = TOL	Pdh	5,4	kW		Tj = TOL	COPd	2,84	-
Tj = -15 °C (if TOL < -20 °C)	Pdh		kW		Tj = -15 °C (if TOL < -20 °C)	COPd		-
Bivalent temperature	T_{biv}	-10	°C		Operation limit temperature	TOL	-10	°C
Cycling interval capacity for heating	Pcych		kW		Cycling interval efficiency	COPcyc		-
Degradation co-efficient	Cdh	0,99	-		Heating water operating limit	WTOL	65	°C
Power consumption in modes other than active mode					*Supplementary heater*			
Off mode	P_{OFF}	0,002	kW		Rated heat output	Psup	0,1	kW
Thermostat-off mode	P_{TO}	0,007	kW					
Standby mode	P_{SB}	0,007	kW		Type of energy input	Electric		
Crankcase heater mode	P_{CK}	0,009	kW					
Other items								
Capacity control	variable				Rated air flow rate, outdoors			m^3/h
Sound power level, indoors/outdoors	L_{WA}	42/-	dB					
Annual energy consumption	Q_{HE}	2875	kWh		Rated brine or water flow rate, outdoor heat exchanger		0,68	m^3/h
For heat pump combination heater:								
Declared load profile	**XL**				**Water heating energy efficiency**	η_{wh}	99	%
Daily electricity consumption	Q_{elec}	7,73	kWh		Daily fuel consumption	Q_{fuel}		kWh
Annual electricity consumption	AEC	1697	kWh		Annual fuel consumption	AFC		GJ
Approved by:								
Contact details	**© NIBE Energy Systems - Box 14 - Hannabadsvägen 5 - 28521 Markaryd - Sweden**							